DECLARATION OF PERFORMANCE according Annex III of the Regulation (EU) No 305/2011

Name of the product: Tangit PVC-U

No. 00131

1. Unique identification code of the product-type:

EN 14680 / EN 14814 - PVC-U/PN16

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

batch number: see packaging of the product

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Adhesive for non-pressure thermoplastic piping systems Adhesive for thermoplastic piping systems for fluids under pressure

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Henkel AG & Co. KGaA D-40191 Düsseldorf

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not relevant

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Not relevant

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

9. Declared performance

EN 14680 / EN 14814 - PVC-U/PN16

| Essential characteristics | Performance | Harmonised technical specification |
|--------------------------------|-------------|------------------------------------|
| Resistance to pull out | pass | EN 14680:2006 |
| Tightness | pass | EN 14680:2006 |
| Resistance to high temperature | pass | EN 14680:2006 |
| Internal pressure/Tightness | ≥ 1000 h | EN 14814:2007 |
| Resistance to pull out | pass | EN 14814:2007 |
| Resistance to high temperature | pass | EN 14814:2007 |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

| Baptiste Chièze International Brand Manager | Dr. Bernhard Schöttmer Director Global Product Development | |
|--|--|--|
| (name and function) | (name and function) | |
| S/- | B5084 | |
| (signature) | (signature) | |
| Dü | usseldorf, 14.06.2013 | |
| (place and date of issue) | | |



Henkel AG & Co. KGaA D-40191 Düsseldorf 08 00131

EN 14680: 2006

PVC-U Adhesive for non-pressure thermoplastic piping systems

In installations for the transport/disposal/storage of water not intended for human consumption

| interface for flamen concemption | | |
|----------------------------------|------|--|
| Resistance to pull out | pass | |
| Tightness | pass | |
| Resistance to high temperature | pass | |

EN 14814: 2007

PVC-U Adhesive for thermoplastic piping systems for fluids under pressure (PN 16)

In installations for the transport/disposal/storage of water not intended for human consumption

| Internal pressure/Tightness | ≥ 1000 h |
|--------------------------------|----------|
| Resistance to pull out | pass |
| Resistance to high temperature | pass |

^{*}Until the European Acceptance Scheme comes into effect, construction products which come in contact with water intended for human consumption follow the national regulations and recommendations.