

DECLARATION OF PERFORMANCE

No. 01011

- | | |
|---|--|
| 1. Unique identification code of the product-type: | Tangit DTX |
| 2. Intended use/es: | Adhesive for thermoplastic piping systems for fluids under pressure - EN 14814 |
| 3. Manufacturer: | Henkel AG & Co. KGaA
D-40191 Düsseldorf |
| 4. Authorised representative: | Not relevant |
| 5. System/s of assessment and verification of constancy of performance: | Type testing: System 4 |
| 6a. Harmonised standard/s: | EN 14814: 2007 |
| Notified body/ies: | Type testing: Not relevant |
| 6b. European Assessment Document: | Not relevant |
| European Technical Assessment: | Not relevant |
| Technical Assessment Body: | Not relevant |
| Notified body/is: | Not relevant |
| 7. Declared performance/s: | |
| EN 14814 - PVC-U/PN16 | |

Essential characteristics	Performance	System/s of assessment and verification of constancy of performance	Harmonised technical specification
Internal pressure/Tightness	≥ 1000 h	System 4	EN 14814:2007
Resistance to pull out	pass		
Resistance to high temperature	pass		

- | | |
|---|--------------|
| 8. Appropriate Technical Documentation and/or Specific Technical Documentation: | Not relevant |
|---|--------------|

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.



Signed for and on behalf of the manufacturer by:

Baptiste Chièze
International Brand Manager
(name and function)

A handwritten signature in black ink, appearing to be "B. Chièze", written over a light gray rectangular background.

(signature)


Dr. Bernhard Schöttmer
Director Global Product Development
(name and function)

A handwritten signature in black ink, appearing to be "B. Schöttmer", written over a light gray rectangular background.

(signature)

Düsseldorf, 01.09.2014
(place and date of issue)

Attachment

	
Henkel AG & Co. KGaA D-40191 Düsseldorf 14 01011	
EN 14814: 2007 PVC-U Adhesive for thermoplastic piping systems for fluids under pressure (PN 16) In installations for the transport/disposal/storage of water not intended for human consumption	
Internal pressure/Tightness	≥ 1000 h
Resistance to pull out	pass
Resistance to high temperature	pass